

Current release

LVDAC-EMS 2.00.00

Resources	Version	
LVDAC-EMS	2.00.00	Download
Data Acquisition and control Interface (9063) Firmware	15.40	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	5.40	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 2.00.00, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 15.40 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 5.40. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or later.

Tools

Resources	Version	
LVDFU	1.2	Download
Data Acquisition and control Interface (9063) Firmware upgrade procedure	-	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware upgrade procedure	-	Download

Previous releases

LVDAC-EMS 1.90.01

Resources	Version	
LVDAC-EMS	1.90.01	Download
Data Acquisition and control Interface (9063) Firmware	14.83	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	5.20	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 1.90.01, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 14.83 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 5.20. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or later.

LVDAC-EMS 1.9

Resources	Version	
LVDAC-EMS	1.9	Download
Data Acquisition and control Interface (9063) Firmware	14.83	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	5.20	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 1.90, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 14.83 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 5.20. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or later.

LVDAC-EMS 1.8

Resources	Version	
LVDAC-EMS	1.8	Download
Data Acquisition and control Interface (9063) Firmware	14.41	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	5.01	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 1.80, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 14.41 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 5.01. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or later.

LVDAC-EMS 1.7

Resources	Version	
LVDAC-EMS	1.7	Download
Data Acquisition and control Interface (9063) Firmware	14.06	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	4.81	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 1.70, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 14.05 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 4.81. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or later.

LVDAC-EMS 1.6

Resources	Version	
LVDAC-EMS	1.6	Download
Data Acquisition and control Interface (9063) Firmware	13.64	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	4.41	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 1.60, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 13.64 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 4.41. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or later.

LVDAC-EMS 1.51

Resources	Version	
LVDAC-EMS	1.51	Download
Data Acquisition and control Interface (9063) Firmware	12.02	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	3.07	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.02	Download

Note: To use LVDAC-EMS 1.51, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 12.02 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 3.06 or 3.07. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or 3.07.

LVDAC-EMS 1.3

Resources	Version	
LVDAC-EMS	1.3	Download
Data Acquisition and control Interface (9063) Firmware	10.08	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	3.07	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.01	Download

Note: To use LVDAC-EMS 1.3, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 10.08 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 3.06 or 3.07. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06 or 3.07.

LVDAC-EMS 1.2

Resources	Version	
LVDAC-EMS	1.2	Download
Data Acquisition and control Interface (9063) Firmware	9.00	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	3.06	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility	1.01	Download

Note: To use LVDAC-EMS 1.2, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 9.00 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 3.03 or 3.06. To use Four-Quadrant Dynamometer/Power Supply (8960-2x) Configuration Utility the firmware in the Four-Quadrant Dynamometer/Power Supply must be version 3.06.

LVDAC-EMS 1.1

Resources	Version	
LVDAC-EMS	1.1	Download
Data Acquisition and control Interface (9063) Firmware	6.00	Download
Four-Quadrant Dynamometer/Power Supply (8960-2x) Firmware	3.03	Download

Note: To use LVDAC-EMS 1.1, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 6.00 and the firmware in the Four-Quadrant Dynamometer/Power Supply, Model 8960-2x must be version 3.03.

LVDAC-EMS 1.0

Resources	Version	
LVDAC-EMS	1.0	Download
Data Acquisition and control Interface (9063) Firmware	1.00	Download

Note: To use LVDAC-EMS 1.0, the firmware in the Data Acquisition and Control Interface, Model 9063 must be version 1.00.